

**REMARKS**

Claims 1-3, 5-10 and 13-17 are pending. Favorable consideration is requested.

Claims 1 and 2 have been amended to remove the word “selectively” (in line with the helpful comments of the Examiner) and to add the “kneading” limitation from claim 4. Claim 4 has been cancelled without prejudice, and claim 11 has similarly been cancelled without prejudice. No new matter has been added.

Claims 1-11 and 13-17 stand rejected under Section 112, first and second paragraphs. In line with the Examiner’s comments, applicant has amended the claims, which render the rejections moot.

Claims 1, 8-10 and 13-16 stand rejected under 35 U.S.C. 102(b) as allegedly anticipated by Stemke (U.S. Patent 4,891,146). In addition, claims 2-3, 5-9 and 17 stand rejected under 35 U.S.C. 103(a) as allegedly being obvious over Stemke. In response, applicant has amended the claims to insert the “kneading” limitation from claim 4 into the independent claims. As set forth in the Office Action, claim 4 was not rejected on any prior art grounds.

In this regard, Stemke merely discloses a mixture step, which requires a substantial amount of solvent. Stemke does not suggest the claimed invention and its kneading step.

In view of the foregoing amendments and remarks, applicant submits that this application is in condition for allowance. A notice to that effect is earnestly solicited.

If the examiner has any questions concerning this application, the undersigned may be contacted at 703-816-4009.

The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140.

Respectfully submitted,

**NIXON & VANDERHYE P.C.**

By:                     /Duane M. Byers/                      
Duane M. Byers  
Reg. No. 33,363

DMB:lfo/dlb  
901 North Glebe Road, 11th Floor  
Arlington, VA 22203-1808  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100